

I N A R C H I

---

**Arc** distributed by Espo Lighting

---

## INARCHI COMES TO LIFE AS MEMBER OF THE MANOOI GROUP

The designers responsible for the explosive success of the Manooi brand have made their new vision come to life, standing as minimalist complement to the Manooi range of luxury crystal chandeliers. "Leveraging the years of experience in manufacturing and distributing premium-class chandeliers, we decided to bring the Inarchi product line to life" explains Lead Designer, Janos Heder.

„These designs have been in our minds for the last two years or so, but the time, when we could make these product reality has come now. We are filled with multitudes of ideas, and now, beside the innovation and forward thinking that we bring into Manooi, we have a whole new World to shape and form, under the Inarchi brand. It is truly an uplifting feeling to have this project come to life - when the goal is clear, and the process of creation seems as organic as a flow of thoughts."

# ARC

Rectangular aluminium profile system with high-performance LED lights.

This highly versatile array of curved and straight elements captures the essence of graceful movements, enabling the designer to compose their own highways of light into any space. Infinitely variable, it is an elegant solution for any person to shape the space they wish to define, grouping and directing these lines of light to find the exact shape their fantasy is looking for.

**LIGHTS ON!**















MONO

ARC

MONO

MONO



MONO Floor

ARC

MONO Wall

MONO Wall













## **ESPO LIGHTING**

**[www.espo.com.au](http://www.espo.com.au)**

### **ADELAIDE STUDIO**

442 PULTENEY ST, ADELAIDE SA 5000

[joseph@espo.com.au](mailto:joseph@espo.com.au)

### **MELBOURNE STUDIO**











259 SWAN ST, RICHMOND VIC 3121

[sales@espo.com.au](mailto:sales@espo.com.au)



**ARC**

Technical data

<p><b>Arc 122 • 45° H</b> L 159 x W 1 x H 17 cm LED 12 V / 40 W</p> <p><b>Arc 122 • 60° H</b> L 167 x W 1 x H 26 cm LED 12 V / 43 W</p> <p><b>Arc 122 • 90° H</b> L 174 x W 1 x H 52 cm LED 12 V / 49 W</p> 	<p><b>Arc g2 • 45° H</b> L 129 x W 1 x H 17 cm LED 12 V / 32 W</p> <p><b>Arc g2 • 60° H</b> L 137 x W 1 x H 26 cm LED 12 V / 35 W</p> <p><b>Arc g2 • 90° H</b> L 144 x W 1 x H 52 cm LED 12 V / 41 W</p> 	<p><b>Arc 62 • 45° H</b> L 99 x W 1 x H 17 cm LED 12 V / 25 W</p> <p><b>Arc 62 • 60° H</b> L 107 x W 1 x H 26 cm LED 12 V / 28 W</p> <p><b>Arc 62 • 90° H</b> L 114 x W 1 x H 52 cm LED 12 V / 34 W</p> 	<div data-bbox="1334 94 1866 253"><h1>INARCHI</h1></div> <div data-bbox="1563 349 2274 443"><h2>Arc</h2><p>Rectangular aluminium profile system with high-performance LED lights.</p></div> <div data-bbox="1563 525 2010 692"><p>Type: suspended lamp Structure: aluminium Finish: black painted Bulb: LED 12V Kelvin: 3000 K Ceiling Rose: polished chrome-plated steel</p></div> <div data-bbox="1721 754 2063 804"></div> <div data-bbox="1721 900 2063 1227"></div> <div data-bbox="1721 1267 2300 1394"><p>IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm all products supplied with voltage 240V upon request illustrations and descriptions for informative purposes only</p></div>
<p><b>Arc 122 • 45° V</b> L 17 x W 1 x H 159 cm LED 12 V / 40 W</p> <p><b>Arc 122 • 60° V</b> L 26 x W 1 x H 167 cm LED 12 V / 43 W</p> <p><b>Arc 122 • 90° V</b> L 52 x W 1 x H 174 cm LED 12 V / 49 W</p> 	<p><b>Arc g2 • 45° V</b> L 17 x W 1 x H 129 cm LED 12 V / 32 W</p> <p><b>Arc g2 • 60° V</b> L 29 x W 1 x H 137 cm LED 12 V / 35 W</p> <p><b>Arc g2 • 90° V</b> L 52 x W 1 x H 144 cm LED 12 V / 41 W</p> 	<p><b>Arc 62 • 45° V</b> L 17 x W 1 x H 99 cm LED 12 V / 25 W</p> <p><b>Arc 62 • 60° V</b> L 26 x W 1 x H 107 cm LED 12 V / 28 W</p> <p><b>Arc 62 • 90° V</b> L 114 x W 1 x H 52 cm LED 12 V / 34 W</p> 	
			

A diagram showing a rectangle with a dashed line extending from its top edge. Below the rectangle is a horizontal line segment labeled '1'. To the right of the rectangle is a vertical line segment labeled '6'.

62

A diagram of a quarter-circle sector. The sector is defined by two radii of length 17 and a central angle of  $45^\circ$ . The radii are shown as solid lines, and the arc is also a solid line. Dashed lines extend from the radii to form a square with side length 17. The height of the sector is labeled as 37, which is the sum of the two radii. The angle is labeled  $45^\circ$  with a curved arrow indicating the angle between the two radii.

A diagram of a quarter-circle sector. The sector is defined by two radii and an arc. The radii are labeled with a dimension line and the number 45. The angle between the radii is labeled 60°. The arc is shown as a solid line, and the radii are shown as dashed lines. The sector is positioned in the upper right quadrant of the coordinate system.

A diagram of a quarter-circle arch. The arch is defined by two concentric circular arcs with a common center. The radius of the outer arc is labeled as 52. The angle between the two radii is labeled as  $90^\circ$ . The arch is supported by a horizontal base and a vertical wall, both indicated by dashed lines. The horizontal base is labeled with a dimension of 52. The vertical wall is labeled with a dimension of 52. The arch is shown in a perspective view, with the two arcs drawn slightly offset from each other to give it a three-dimensional appearance.




I N A R C H I

Arc


Rectangular aluminium profile system with high-performance LED lights.


Type: suspended lamp  
Structure: aluminium  
Finish: black painted  
Bulb: LED 12V  
Kelvin: 3000 K  
Ceiling Rose: polished chrome-plated steel





IF NOT MARKED OTHERWISE:  
safety classification IP20 for all fittings  
units in cm  
all products supplied with voltage **240V** upon request  
illustrations and descriptions for informative purposes only


Materials


anodized aluminium


bronze anodized


black anodized


carrara marble


onyx


bronze amani marble


sahara noir marble


bronze


copper

glass

polished aluminium

corian

polished stainless steel

painted aluminium

Colours

bordeaux

black

arctic white













sand

gray

mustard yellow

aquamarine

olive green

L	Length
W	Width
H	Height
Ø	Diameter
	~240 V
	Product conform to European Community Directive
	Product conform te EAC
	Fixable to ceiling
	Fixable to wall
	Floor lamp
	Desk lamp
	LED
	Only basic insulation, <b>accessible</b> conductors are earthed. Earthing:
	compulsory. Lights are fixable to fiery surface directly
	Protection class 3, fixture delivered <b>without</b> transformer. Use with electronic transformers only
	

I N **A R C** H I

Products

